



VARIO 60 DUO HV

TECHNICAL DATASHEET

PROJECT INFORMATION

Project Name:


Reference:

Quantity:




IP66
MADE IN ITALY


TECHNICAL DRAWING



FINISHES



PRODUCT CODE

V6DH = VARIO 60 DUO HV		Select one component from each column to specify a complete configuration:			
	LED colour	Optics	Finish	Length	Power
	22 = 2200K	NN = 10°+10°	05 = Black anodized	60 = 600mm 90 = 900mm	10D = 10W DALI 10O = 10W On/Off
	25 = 2450K	NM = 10°+30°			
	27 = 2700K	NW = 10°+50°			
	30 = 3000K	NE = 10°+10°x45°			
	40 = 4000K	NX = 10°+45°x10°			
		MM = 30°+30°			
		MW = 30°+50°			
		ME = 30°+10°x45°			
		MX = 30°+45°x10°			
		WW = 50°+50°			
		WE = 50°+10°x45°			
		WX = 50°+45°x10°			
		EE = 10°x45°+10°x45°			
	EX = 10°x45°+45°x10°				
	XX = 45°x10°+45°x10°				

Standard configuration example:

V6DH.22.WW.05.90.10D | Vario 60 Duo HV 2200K 50°+50° optics black anodized 900mm 10W DALI

TECHNICAL SHEET

LIGHTING CHARACTERISTICS

Color Rendering Index	CRI > 90
Lumen output (source)	2x630 lm (3000K)
Lumen output (delivered)	2x398 lm (3000K)
Optics	10° / 30° / 50° / 10°x45° / 45°x10°
LED colour temperature	2200K / 2450K / 2700K / 3000K / 4000K
LED lifetime	50000h L95 B10 (Ta 25°C)
Bin selection	Binning free 2 step MacAdam's

MECHANICAL CHARACTERISTICS

Body	Anodized aluminium 6026
Glass	Extra clear tempered glass 6mm
Finishes	Black anodized
Installation	Mounting plate / Base with anchor bolts
Impact resistance	IK08
Weight	1.94kg (with bollard h600mm) / 2.31kg (with bollard h900mm)


ELECTRICAL CHARACTERISTICS

Power supply	220÷230Vac - 50/60Hz
Power supply cables	Max 30cm H05RN-F 3x0,75mm ²
Power consumption	10 Watt
Dimmable	DALI / On/Off

GENERAL CHARACTERISTICS


Operating temperature	-20°C +50°C
IP rating	IP66
Insulation class	Class I
Photobiological risk	RG0/RG1

ACCESSORIES




Honeycomb louver

Art. Nr.
ACC.004




Anti-Glare louver

Art. Nr.
ACC.073




Anti-Glare louver

Art. Nr.
ACC.088



Mounting plate

Art. Nr.
ACC.202



Base with anchor bolts

Art. Nr.
ACC.203

OPTICS

